

Memorandum



DATE: January 24, 2014

TO: Honorable Members of the Public Safety Committee:
Sheffie Kadane (Chair), Adam Medrano (Vice Chair), Dwaine Caraway, Jennifer S. Gates,
Sandy Greyson, Scott Griggs

SUBJECT: **Administrative (Fire) Reports**

This is an informational memo to provide the Public Safety Committee with a brief description of the November 20, 2013 – January 16, 2014 fire reports.

During this period, the following fires occurred:

Multiple Alarm Level	Totals
<u>2-Alarm</u>	<u>7</u>
<u>3-Alarm</u>	<u>4</u>
<u>4-Alarm</u>	<u>1</u>

There were 8 (eight) civilian fatalities, 2 (two) firefighter injuries and 10 (ten) civilian injuries that occurred as a result of fire incidents.

Charles M. Cato
Interim Assistant City Manager

Attachment

cc: Honorable Mayor and Members of the Dallas City Council
A.C. Gonzalez, Interim City Manager
Rosa A. Rios, City Secretary
Warren M. S. Ernst, City Attorney
Craig D. Kinton, City Auditor
Daniel F. Solis, Administrative Judge
Ryan S. Evans, Interim First Assistant City Manager
Jill A. Jordan, P. E., Assistant City Manager
Forest E. Turner, Assistant City Manager
Joey Zapata, Assistant City Manager
Theresa O'Donnell, Interim Assistant City Manager
Jeanne Chipperfield, Chief Financial Officer
Frank Libro, Public Information Officer
Elsa Cantu, Assistant to the City Manager – Mayor and Council

Public Safety Committee

Fire Report

November 2013 - January 2014

DATE	ADDRESS	COUNCIL DISTRICT	TYPE	CAUSE	LOSS/ INSURED?	ALARMS
1. 11/20/13	8918 Anglecrest Drive	District 5	1-Story Brick Residence	Undetermined	\$55,000.00 Unknown	1 Alarm (Fatality)
2. 11/22/13	1338 Houghton Road	District 5	1-Story Frame Residence	Accidental	\$6,500.00 Unknown	1 Alarm (Injury)
3. 11/24/13	2600 Highland Road #225	District 7	2-Story Frame Apartments	Undetermined	\$55,000.00 Unknown	1 Alarm 2 Fatalities 2 Injuries
4. 11/24/13	1507 Caldwell Avenue	District 7	1-Story Frame Residence	Accidental	\$70,510.00 Unknown	1 Alarm (Injury)
5. 11/26/13	8550 Midpark Road #613	District 11	11-Story Brick Apartments	Accidental	\$500.00 No	2 Alarms
6. 11/29/13	5414 Cedar Springs Road #503	District 2	2-Story Brick Apartments	Undetermined	\$11,000.00 No	1 Alarm (Fatality)
7. 12/03/13	11730 Fernald Avenue	District 9	1-Story Frame Residence	Accidental	\$0.00 No	Medical Emergency (Injury)
8. 12/06/13	1530 Main Street	District 14	Underground Transformer	Accidental	\$55,000.00 Yes	3 Alarms
9. 12/06/13	4911 Thunder Road	District 13	1-Story Frame Duplex	Accidental	\$25,000.00 Yes	1 Alarm (Injury)
10. 12/07/13	1305 N. Plymouth Road #1304	District 1	2-Story Brick Apartments	Accidental	\$80,000.00 Yes	2 Alarms
11. 12/11/13	11851 High Dale Drive #228B	District 6	2-Story Frame Apartments	Accidental	\$6,000.00 No	2 Alarms
12. 12/18/13	9829 Walnut Street #213	District 10	3-Story Frame Condominiums	Undetermined	\$484,386.00 Yes	3 Alarms
13. 12/19/13	8560 Park Lane #74	District 13	2-Story Frame Condominiums	Accidental	\$67,500.00 Yes	2 Alarms
14. 12/19/13	2920 Prince Hall Lane #253	District 4	2-Story Brick Apartments	Incendiary	\$10,000.00 No	1 Alarm (Injury)
15. 12/22/13	4923 Gaston Avenue	District 14	2-Story Frame Residence	Undetermined	\$257,150.00 Unknown	4 Alarms (Injury)
16. 12/25/13	8723 Eldon Drive	District 5	1-Story Frame Residence	Accidental	\$28,500.00 Unknown	1 Alarm (Injury)
17. 12/26/13	6441 Elam Road	District 5	1-Story Frame Residence	Accidental	\$15,000.00 Unknown	1 Alarm (Fatality) (Injury)
18. 12/29/13	7272 Marvin D. Love (Service Road) #2924	District 8	3-Story Frame Apartments	Accidental	\$50,000.00 Unknown	2 Alarms

19.12/31/13	1723 Pat Drive	District 9	1-Story Frame Residence	Incendiary	\$9,000.00 Unknown	1 Alarm 2 Fatalities
20.01/03/14	3521 Chicago Street	District 6	1-Story Frame Residence	Accidental	\$200.00 Unknown	Medical Emergency (Fatality)
21.01/08/14	3165 Park Lane #117	District 6	2-Story Frame Apartments	Accidental	\$85,000.00 Unknown	3 Alarms
22.01/09/14	5827 Columbia Avenue	District 14	1-Story Frame Duplex	Accidental	\$1,250.00 No	1 Alarm 2 Injuries
23.01/14/14	3451 Cedar Crest Boulevard	District 4	1-Story Brick Commercial	Accidental	\$5,000.00 No	2 Alarms
24.01/16/14	10944 Grissom Lane #703	District 6	1-Story Metal Commercial	Undetermined	\$375,000.00 Yes	2 Alarms
25.01/16/14	6759 Eastridge Drive #1050	District 13	2-Story Frame Apartments	Undetermined	\$170,000.00 Unknown	3 Alarms

One Alarm Fire (Fatality)

Date of Fire:	November 20, 2013	Time of Fire	3:56 PM												
Incident Number	2013-234715	Response Time	25 Sec.												
Location	8918 Anglecrest Drive	Service Area	Southeast												
Bldg. Type	1-Story Brick Residence	Council District	5												
Owner	Calvin Cheatum	Injuries (Firefighter/ Civilian)	One Civilian Fatality												
Occupant/ Business Name	Calvin Cheatum														
Fire Alarm System	Yes	Operational	No												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: center;"><u>Value</u></th> <th style="width: 35%; text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$68,170.00</td> <td style="text-align: right;">\$40,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$15,000.00</td> <td style="text-align: right;">\$15,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right;">\$83,170.00</td> <td style="text-align: right;">\$55,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$68,170.00	\$40,000.00	Content:	\$15,000.00	\$15,000.00	TOTAL	\$83,170.00	\$55,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$68,170.00	\$40,000.00													
Content:	\$15,000.00	\$15,000.00													
TOTAL	\$83,170.00	\$55,000.00													
Narrative	<p>The cause of this fire is undetermined. The fire started in the front bedroom of this residence. The fire caused severe damage. A civilian fatality occurred as a result of this fire. The victim was pronounced dead at Baylor Hospital. The cause of death is pending an autopsy by the Medical Examiner. The victim was transported to Baylor Hospital by Rescue 51. This residence had a properly installed fire alarm system. The fire alarm system was not operational at the time of the fire. Insurance information is unknown at this time. Engine 5 was the first unit to respond to this incident.</p>														

One Alarm Fire (Injury)

Date of Fire:	November 22, 2013	Time of Fire	7:01 AM												
Incident Number	2013-235753	Response Time	1 Min. 46 Sec.												
Location	1338 Houghton Road	Service Area	Southeast												
Bldg. Type	1-Story Frame Residence	Council District	5												
Owner	Suzanne McElyea	Injuries (Firefighter/ Civilian)	One civilian Injury												
Occupant/ Business Name	Romero Narciso														
Fire Alarm System	Yes	Operational	Yes												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: right;"><u>Value</u></th> <th style="width: 35%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$46,670.00</td> <td style="text-align: right;">\$5,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$15,000.00</td> <td style="text-align: right;">\$1,500.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$61,670.00</td> <td style="text-align: right; border-top: 1px solid black;">\$6,500.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$46,670.00	\$5,000.00	Content:	\$15,000.00	\$1,500.00	TOTAL	\$61,670.00	\$6,500.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$46,670.00	\$5,000.00													
Content:	\$15,000.00	\$1,500.00													
TOTAL	\$61,670.00	\$6,500.00													
Narrative	<p>This accidental fire was caused by the careless use of an electric cook stove. A pan of grease was left unattended. The fire damaged the cabinets adjacent to and over the stove. A civilian injury occurred as a result of this fire. The victim sustained a minor burn to their right hand when attempting to extinguish this fire. The victim refused medical treatment. This residence had a properly installed fire alarm system that warned the occupants of the fire and aided in their escape. Insurance information is unknown at this time. Engine 34 was the first unit to respond to this incident.</p>														

One Alarm Fire (Fatalities) (Injuries)

Date of Fire:	November 24, 2013	Time of Fire	9:14 AM												
Incident Number	2013-237251	Response Time	3 Min. 21 Sec.												
Location	2600 Highland Road #225	Service Area	Northeast												
Bldg. Type	2-Story Frame Apartments	Council District	7												
Owner	SOCAL LP.	Injuries (Firefighter/ Civilian)	Two Civilian Fatalities Two Civilian Injuries												
Occupant/ Business Name	Ericka Jimenez Highland Meadows Apartments														
Fire Alarm System	Yes	Operational	No												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th><th style="width: 40%; text-align: right;"><u>Value</u></th><th style="width: 40%; text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$1,325,000.00</td><td style="text-align: right;">\$50,000.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$5,000.00</td><td style="text-align: right;">\$5,000.00</td></tr> <tr> <td>TOTAL</td><td style="text-align: right;">\$1,330,000.00</td><td style="text-align: right;">\$55,000.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$1,325,000.00	\$50,000.00	Content:	\$5,000.00	\$5,000.00	TOTAL	\$1,330,000.00	\$55,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$1,325,000.00	\$50,000.00													
Content:	\$5,000.00	\$5,000.00													
TOTAL	\$1,330,000.00	\$55,000.00													
Narrative	<p>The cause of this fire is undetermined. This fire started in the living room of this second story apartment. Fire damage was severe to the building and the apartment contents. Two civilian fatalities and two civilian injuries occurred as a result of this fire. One victim was pronounced dead at the scene of the fire by the Medical Examiner. The other fatal victim was transported by Rescue 53 and pronounced dead at Parkland Hospital. The Medical Examiner determined the causes of death for both fatalities to be thermal injuries and smoke inhalation. The injury victims were both transported to Parkland Hospital by Rescues 19 and 32. Both injury victims sustained severe burn and suffered from smoke inhalation. This apartment had a properly installed non-operational fire alarm system at the time of this fire. Insurance information is unknown at this time. Engine 53 was the first unit to respond to this incident.</p>														

One Alarm Fire (Injury)

Date of Fire:	November 24, 2013	Time of Fire	10:30 AM												
Incident Number	2013-237288	Response Time	3 Min. 12 Sec.												
Location	1507 Caldwell Avenue	Service Area	7												
Bldg. Type	1-Story Frame Residence	Council District	Central												
Owner	Rosie Lewis	Injuries (Firefighter/ Civilian)	One Civilian Injury												
Occupant/ Business Name	Rosie Lewis														
Fire Alarm System	No	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: right;"><u>Value</u></th> <th style="width: 35%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$50,510.00</td> <td style="text-align: right;">\$50,510.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$20,000.00</td> <td style="text-align: right;">\$20,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$70,510.00</td> <td style="text-align: right; border-top: 1px solid black;">\$70,510.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$50,510.00	\$50,510.00	Content:	\$20,000.00	\$20,000.00	TOTAL	\$70,510.00	\$70,510.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$50,510.00	\$50,510.00													
Content:	\$20,000.00	\$20,000.00													
TOTAL	\$70,510.00	\$70,510.00													
Narrative	<p>This accidental fire was caused by combustible materials too close to a heat source. An electric space heater ignited combustible material in the living room of this residence. Fire destroyed this structure and the contents. A civilian injury occurred as a result of this fire. The victim sustained smoke inhalation injuries. The victim was transported to Parkland Hospital by Rescue 3. This residence did not have a fire alarm system at the time of this fire. Insurance information is unknown at this time. Engine 3 was the first unit to respond to this incident.</p>														

Two Alarm Fire

Date of Fire:	November 26, 2013	Time of Fire	5:36 PM												
Incident Number	2013-238850	Response Time	2 Min. 44 Sec.												
Location	8550 Midpark Road #613	Service Area	North Central												
Bldg. Type	11-Story Brick Apartments	Council District	11												
Owner	Midpark Towers Second Ltd.	Injuries (Firefighter/ Civilian)	N/A												
Occupant/ Business Name	Jerry Webb Midpark Towers														
Fire Alarm System	Yes	Operational	Yes												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th><th style="width: 40%; text-align: right;"><u>Value</u></th><th style="width: 40%; text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$2,795,000.00</td><td style="text-align: right;">\$500.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$50,000.00</td><td style="text-align: right;">\$0.00</td></tr> <tr> <td>TOTAL</td><td style="text-align: right; border-top: 1px solid black;">\$2,845,000.00</td><td style="text-align: right; border-top: 1px solid black;">\$500.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$2,795,000.00	\$500.00	Content:	\$50,000.00	\$0.00	TOTAL	\$2,845,000.00	\$500.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$2,795,000.00	\$500.00													
Content:	\$50,000.00	\$0.00													
TOTAL	\$2,845,000.00	\$500.00													
Narrative	<p>This accidental fire was caused by the careless discard of a heat source. Ignited paper was discarded in a trash can in the bathroom causing minor structure damage to this apartment. This high-rise apartment had an operational fire alarm system that warned the occupants of the fire. This is not an insured loss. Engine 28 was the first unit to respond to this incident.</p>														

One Alarm Fire (Fatality)

Date of Fire:	November 29, 2013	Time of Fire	11:11 PM												
Incident Number	2013-240941	Response Time	4 Min. 14 Sec.												
Location	5414 Cedar Springs Road #503	Service Area	Northwest												
Bldg. Type	2-Story Brick Apartments	Council District	2												
Owner	Texas Park Apartments	Injuries (Firefighter/ Civilian)	One Civilian Fatality												
Occupant/ Business Name	Jose Chavarria Montage Apartments														
Fire Alarm System	No	Operational	N/A												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th><th style="width: 40%; text-align: right;"><u>Value</u></th><th style="width: 40%; text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$1,275,000.00</td><td style="text-align: right;">\$8,000.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$3,000.00</td><td style="text-align: right;">\$3,000.00</td></tr> <tr> <td>TOTAL</td><td style="text-align: right; border-top: 1px solid black;">\$1,278,000.00</td><td style="text-align: right; border-top: 1px solid black;">\$11,000.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$1,275,000.00	\$8,000.00	Content:	\$3,000.00	\$3,000.00	TOTAL	\$1,278,000.00	\$11,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$1,275,000.00	\$8,000.00													
Content:	\$3,000.00	\$3,000.00													
TOTAL	\$1,278,000.00	\$11,000.00													
Narrative	<p>The cause of this fire is undetermined and under investigation. This fire started in the kitchen of this apartment causing minor damage to the structure and destroying the contents of this apartment. One civilian fatality occurred as a result of this fire. The victim was transported by Rescue 47 and pronounced dead at Parkland Hospital. The Medical Examiner determined the cause of death to be smoke inhalation. This apartment did not have a fire alarm system at the time of this fire. This is not an insured loss. Engine 42 was the first unit to respond to this incident.</p>														

Medical Emergency (Injury)

Date of Fire:	December 3, 2013	Time of Fire	7:38 PM												
Incident Number	2013-243548	Response Time	4 Min. 33 Sec.												
Location	11730 Fernald Avenue	Service Area	Northeast												
Bldg. Type	1-Story Frame Residence	Council District	9												
Owner	Maxine McCallum	Injuries (Firefighter/ Civilian)	One Civilian Injury												
Occupant/ Business Name	Maxine McCallum														
Fire Alarm System	None	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: right;"><u>Value</u></th> <th style="width: 35%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$48,010.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$26,000.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$74,010.00</td> <td style="text-align: right; border-top: 1px solid black;">\$0.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$48,010.00	\$0.00	Content:	\$26,000.00	\$0.00	TOTAL	\$74,010.00	\$0.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$48,010.00	\$0.00													
Content:	\$26,000.00	\$0.00													
TOTAL	\$74,010.00	\$0.00													
Narrative	<p>This incident was caused by combustibles too close to a heat source. There was no damage to the structure or contents of this residence. A civilian injury occurred as a result of this fire. The victim's clothing caught fire while cooking. The victim sustained second and third degree burns to their hands, chest and neck. The victim was transported to Parkland Hospital by Rescue 48. This residence did not have a fire alarm system installed at the time of this fire. This is not an insured loss. Rescue 48 was the first unit to respond to this incident.</p>														

Three Alarm Fire

Date of Fire:	December 6, 2013	Time of Fire	3:01 AM												
Incident Number	2013-245353	Response Time	2 Min. 41 Sec.												
Location	1530 Main Street	Service Area	Central												
Bldg. Type	Underground Transformer	Council District	14												
Owner	Oncor	Injuries (Firefighter/ Civilian)	N/A												
Occupant/ Business Name	Oncor Oncor														
Fire Alarm System	N/A	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;"></th> <th style="width: 20%; text-align: center;"><u>Value</u></th> <th style="width: 20%; text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building: \$17,188,330.00</td> <td></td> <td style="text-align: right;">\$55,000.00</td> </tr> <tr> <td>Content: \$8,000,000.00</td> <td></td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$25,188,330.00</td> <td style="text-align: right; border-top: 1px solid black;">\$55,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building: \$17,188,330.00		\$55,000.00	Content: \$8,000,000.00		\$0.00	TOTAL	\$25,188,330.00	\$55,000.00
	<u>Value</u>	<u>Damage</u>													
Building: \$17,188,330.00		\$55,000.00													
Content: \$8,000,000.00		\$0.00													
TOTAL	\$25,188,330.00	\$55,000.00													
Narrative	<p>This accidental fire was caused by an unspecified malfunction of an underground transformer. Fire destroyed the transformer and caused minor exterior damage to the adjacent high-rise hotel. This is an insured loss. Engine 18 was the first unit to respond to this incident.</p>														

One Alarm Fire (Injury)

Date of Fire:	December 6, 2013	Time of Fire	10:57 AM												
Incident Number	2013-246216	Response Time	11 Min. 5 Sec.												
Location	4911 Thunder Road	Service Area	Northwest												
Bldg. Type	1-Story Frame Duplex	Council District	13												
Owner	Mike Symons	Injuries (Firefighter/ Civilian)	One Firefighter Injury												
Occupant/ Business Name	Tammie Burrett														
Fire Alarm System	None	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: right;"><u>Value</u></th> <th style="width: 35%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$151,500.00</td> <td style="text-align: right;">\$25,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$35,000.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$181,500.00</td> <td style="text-align: right; border-top: 1px solid black;">\$25,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$151,500.00	\$25,000.00	Content:	\$35,000.00	\$0.00	TOTAL	\$181,500.00	\$25,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$151,500.00	\$25,000.00													
Content:	\$35,000.00	\$0.00													
TOTAL	\$181,500.00	\$25,000.00													
Narrative	<p>This accidental fire was caused by an unspecified mechanical malfunction of the chimney of this duplex. The fire caused damage to the chimney and the attic of this duplex. A firefighter injury occurred as a result of this fire. The firefighter slipped on ice while exiting the apparatus. The firefighter was transported to Medical City Hospital by Rescue 41. This duplex did not have a fire alarm installed at the time of this fire. This is an insured loss. Engine 22 was the first unit to respond to this incident.</p>														

Two Alarm Fire

Date of Fire:	December 7, 2013	Time of Fire	4:59 AM												
Incident Number	2013-247500	Response Time	5 Min. 12 Sec.												
Location	1305 N. Plymouth Road #1304	Service Area	Southwest												
Bldg. Type	2-Story Brick Apartments	Council District	1												
Owner	VM Investments	Injuries (Firefighter/ Civilian)	N/A												
Occupant/ Business Name	Vacant Concord Apartments														
Fire Alarm System	None	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%; text-align: right;"><u>Value</u></th> <th style="width: 40%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$2,571,000.00</td> <td style="text-align: right;">\$80,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$0.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$2,571,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$80,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$2,571,000.00	\$80,000.00	Content:	\$0.00	\$0.00	TOTAL	\$2,571,000.00	\$80,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$2,571,000.00	\$80,000.00													
Content:	\$0.00	\$0.00													
TOTAL	\$2,571,000.00	\$80,000.00													
Narrative	<p>This accidental fire was caused by an unspecified electrical short circuit. The short circuit occurred in an electrical panel of a vacant and secured apartment unit. The fire spread from the wall and caused damage to the attic space and roof of this apartment building. This vacant apartment did not have a fire alarm installed at the time of this fire. This is an insured loss. Engine 45 was the first unit to respond to this incident.</p>														

Two Alarm Fire

Date of Fire:	December 11, 2013	Time of Fire	8:13 AM												
Incident Number	2013-251536	Response Time	3 Min 59 Sec.												
Location	11851 High Dale Drive #228B	Service Area	Northwest												
Bldg. Type	2-Story Frame Apartments	Council District	6												
Owner	Forest Dale LLC.	Injuries (Firefighter/ Civilian)	N/A												
Occupant/ Business Name	Vacant Forest Dale Apartments														
Fire Alarm System	Yes	Operational	Yes												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%; text-align: right;"><u>Value</u></th> <th style="width: 40%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$5,325,800.00</td> <td style="text-align: right;">\$6,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$0.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$5,325,800.00</td> <td style="text-align: right; border-top: 1px solid black;">\$6,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$5,325,800.00	\$6,000.00	Content:	\$0.00	\$0.00	TOTAL	\$5,325,800.00	\$6,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$5,325,800.00	\$6,000.00													
Content:	\$0.00	\$0.00													
TOTAL	\$5,325,800.00	\$6,000.00													
Narrative	<p>This accidental fire was caused by an unspecified electrical short circuit in this vacant apartment building. The short circuit occurred in the fixed wiring at an electrical socket in the hallway of the building. The fire damaged was confined to the wall of the hallway. This apartment had an operational fire alarm system at the time of this incident. This is not an insured loss. Engine 2 was the first unit to respond to this incident.</p>														

Three Alarm Fire

Date of Fire:	December 18, 2013	Time of Fire	9:17 PM												
Incident Number	2013-257076	Response Time	3 Min. 42 Sec.												
Location	9829 Walnut Street #213	Service Area	Northeast												
Bldg. Type	3-Story Frame Condominiums	Council District	10												
Owner	Jill A. Bloomer	Injuries (Firefighter/ Civilian)													
Occupant/ Business Name	April Wallace Richland Trace Condominiums														
Fire Alarm System	Unknown	Operational	N/A												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: center;"><u>Value</u></th> <th style="width: 35%; text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$835,170.00</td> <td style="text-align: right;">\$345,990.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$138,396.00</td> <td style="text-align: right;">\$138,396.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$973,566.00</td> <td style="text-align: right; border-top: 1px solid black;">\$484,386.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$835,170.00	\$345,990.00	Content:	\$138,396.00	\$138,396.00	TOTAL	\$973,566.00	\$484,386.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$835,170.00	\$345,990.00													
Content:	\$138,396.00	\$138,396.00													
TOTAL	\$973,566.00	\$484,386.00													
Narrative	<p>The cause of this fire is undetermined and under investigation. It is unknown where this fire started due to the severe damage to this multi-residential condominium building. A total of fifteen units sustained damage by this fire. It is unknown if any of these condominiums had properly installed operational fire alarms at the time of this fire. This is an insured loss. Engine 29 was the first unit to respond to this incident.</p>														

Two Alarm Fire

Date of Fire:	December 19, 2013	Time of Fire	4:17 PM												
Incident Number	2013-257601	Response Time	4 Min. 40 Sec.												
Location	8560 Park Lane #74	Service Area	Northeast												
Bldg. Type	2-Story Fame Condominiums	Council District	13												
Owner	Amor Real Estate Investments	Injuries (Firefighter/ Civilian)	N/A												
Occupant/ Business Name	Antrim Green Park Lane Place Townhomes														
Fire Alarm System	Yes	Operational	Yes												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th><th style="width: 35%; text-align: right;"><u>Value</u></th><th style="width: 35%; text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$67,540.00</td><td style="text-align: right;">\$50,000.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$30,000.00</td><td style="text-align: right;">\$17,500.00</td></tr> <tr> <td>TOTAL</td><td style="text-align: right; border-top: 1px solid black;">\$97,540.00</td><td style="text-align: right; border-top: 1px solid black;">\$67,500.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$67,540.00	\$50,000.00	Content:	\$30,000.00	\$17,500.00	TOTAL	\$97,540.00	\$67,500.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$67,540.00	\$50,000.00													
Content:	\$30,000.00	\$17,500.00													
TOTAL	\$97,540.00	\$67,500.00													
Narrative	<p>This accidental fire was caused by the careless discard of smoking materials. This fire started in the garage completely destroying the contents including a vehicle and caused damage to an adjacent garage. These condominiums had a properly installed operational fire alarm system at the time of this fire. This is an insured loss. Engine 37 was the first unit to respond to this incident.</p>														

One Alarm Fire (Injury)

Date of Fire:	December 19, 2013	Time of Fire	8:58 PM												
Incident Number	2013-257813	Response Time	2 Min. 26 Sec.												
Location	2920 Prince Hall Lane #253	Service Area	South Central												
Bldg. Type	2-Story Brick Apartments	Council District	4												
Owner	Sunny West Investments LTD	Injuries (Firefighter/ Civilian)	One Firefighter Injury												
Occupant/ Business Name	Vacant Sunrise Village Apartments														
Fire Alarm System	None	Operational	N/A												
Cause	Incendiary														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%; text-align: right;"><u>Value</u></th> <th style="width: 40%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$1,350,000.00</td> <td style="text-align: right;">\$10,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$0.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$1,350,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$10,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$1,350,000.00	\$10,000.00	Content:	\$0.00	\$0.00	TOTAL	\$1,350,000.00	\$10,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$1,350,000.00	\$10,000.00													
Content:	\$0.00	\$0.00													
TOTAL	\$1,350,000.00	\$10,000.00													
Narrative	<p>This cause of this fire is incendiary and under investigation at this time. A firefighter injury occurred as a result of this fire. The firefighter sustained burns to his hands. The firefighter was transported to Parkland Hospital by Rescue 25. This apartment did not have a fire alarm installed at the time of this fire. This is not an insured loss. Engine 38 was the first unit to respond to this incident.</p>														

Four Alarm Fire (Injury)

Date of Fire:	December 22, 2013	Time of Fire	5:39 PM												
Incident Number	2013-259985	Response Time	2 Min. 29 Sec.												
Location	4923 Gaston Avenue	Service Area	Central												
Bldg. Type	2-Story Frame Residence	Council District	14												
Owner	Maroula Philippou	Injuries (Firefighter/ Civilian)	One Civilian Injury												
Occupant/ Business Name	Bradley Duke														
Fire Alarm System	Unknown	Operational	Unknown												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th><th style="text-align: right;"><u>Value</u></th><th style="text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$249,150.00</td><td style="text-align: right;">\$249,150.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$8,000.00</td><td style="text-align: right;">\$8,000.00</td></tr> <tr> <td>TOTAL</td><td style="text-align: right; border-top: 1px solid black;">\$257,150.00</td><td style="text-align: right; border-top: 1px solid black;">\$257,150.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$249,150.00	\$249,150.00	Content:	\$8,000.00	\$8,000.00	TOTAL	\$257,150.00	\$257,150.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$249,150.00	\$249,150.00													
Content:	\$8,000.00	\$8,000.00													
TOTAL	\$257,150.00	\$257,150.00													
Narrative	<p>The cause of this fire is undetermined and under investigation. The fire started on the first floor of this residence being used as a boarding home. Fire damage was severe to this residence. A civilian injury occurred as a result of this fire. The victim sustained injury from smoke inhalation. The victim was transported to Parkland Hospital by Rescue 8. It is unknown if this residence had an operational fire alarm system at the time of this fire. It is unknown if this is an insured loss. Engine 3 was the first unit to respond to this incident.</p>														

One Alarm Fire (Injury)

Date of Fire:	December 25, 2013	Time of Fire	8:00 AM												
Incident Number	2013-261732	Response Time	3 Min. 4 Sec.												
Location	8723 Eldon Drive	Service Area	Southeast												
Bldg. Type	1-Story Frame Residence	Council District	5												
Owner	Cecil Green	Injuries (Firefighter/ Civilian)	One Civilian Injury												
Occupant/ Business Name	Cecil Green														
Fire Alarm System	Yes	Operational	Unknown												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th><th style="width: 35%; text-align: right;"><u>Value</u></th><th style="width: 35%; text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$39,670.00</td><td style="text-align: right;">\$25,000.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$8,000.00</td><td style="text-align: right;">\$3,500.00</td></tr> <tr> <td>TOTAL</td><td style="text-align: right; border-top: 1px solid black;">\$47,670.00</td><td style="text-align: right; border-top: 1px solid black;">\$28,500.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$39,670.00	\$25,000.00	Content:	\$8,000.00	\$3,500.00	TOTAL	\$47,670.00	\$28,500.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$39,670.00	\$25,000.00													
Content:	\$8,000.00	\$3,500.00													
TOTAL	\$47,670.00	\$28,500.00													
Narrative	<p>The cause of this fire is accidental. The fire started in the living area adjacent to the kitchen. The fire completely destroyed this area of the residence and its contents. A civilian injury occurred as a result of this fire. The victim sustained thermal burns to his hands face and neck while attempting to escape this fire. The victim was transported to Parkland Hospital by Rescue 34. This residence had a fire alarm system installed at the time of this fire. It is unknown if the fire alarm system was operational at the time of this fire. Insurance information is unknown at this time. Engine 5 was the first unit to respond to this incident.</p>														

One Alarm Fire (Fatality) (Injury)

Date of Fire:	December 26, 2013	Time of Fire	9:40 AM												
Incident Number	2013-262367	Response Time	3 Min. 18 Sec.												
Location	6441 Elam Road	Service Area	Southeast												
Bldg. Type	1-Story Frame Residence	Council District	5												
Owner	Full Gospel Church	Injuries (Firefighter/ Civilian)	One Civilian Fatality One Civilian Injury												
Occupant/ Business Name	Carl Finnell														
Fire Alarm System	Yes	Operational	No												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: right;"><u>Value</u></th> <th style="width: 35%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$27,300.00</td> <td style="text-align: right;">\$10,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$10,000.00</td> <td style="text-align: right;">\$5,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$37,300.00</td> <td style="text-align: right; border-top: 1px solid black;">\$15,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$27,300.00	\$10,000.00	Content:	\$10,000.00	\$5,000.00	TOTAL	\$37,300.00	\$15,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$27,300.00	\$10,000.00													
Content:	\$10,000.00	\$5,000.00													
TOTAL	\$37,300.00	\$15,000.00													
Narrative	<p>This accidental fire was caused by combustibles too close to a heat source. A portable space heater ignited combustible material in the bedroom of this residence causing moderate fire damage. A civilian fatality and a civilian injury occurred as a result of this fire. The fatal victim was pronounced dead at the scene of the fire by the Medical Examiner. The Medical Examiner has determined the cause of death to be thermal burns and smoke inhalation. The injury victim sustained smoke inhalation injuries. This victim was transported to Parkland Hospital by Rescue 34. This residence had a non-operational fire alarm system installed at the time of this fire. Insurance information is unknown at this time. Engine 34 was the first unit to respond to this incident.</p>														

Two Alarm Fire

Date of Fire:	December 29, 2013	Time of Fire	3:38 AM												
Incident Number	2013-264437	Response Time	2 Min 38 Sec.												
Location	7272 Marvin D. Love (Service Road) #2924	Service Area	South Central												
Bldg. Type	3-Story Frame Apartments	Council District	8												
Owner	Brama Surrey Row LTD	Injuries (Firefighter/ Civilian)	N/A												
Occupant/ Business Name	Kendrick Lawrence														
Fire Alarm System	Yes	Operational	No												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%; text-align: right;"><u>Value</u></th> <th style="width: 40%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$9,897,960.00</td> <td style="text-align: right;">\$40,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$10,000.00</td> <td style="text-align: right;">\$10,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right;">\$9,907,960.00</td> <td style="text-align: right;">\$50,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$9,897,960.00	\$40,000.00	Content:	\$10,000.00	\$10,000.00	TOTAL	\$9,907,960.00	\$50,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$9,897,960.00	\$40,000.00													
Content:	\$10,000.00	\$10,000.00													
TOTAL	\$9,907,960.00	\$50,000.00													
Narrative	<p>This accidental fire was caused by the careless use of incense left unattended in the bedroom. The fire caused major damage to this apartment and the apartment unit above it. This apartment had a non-operational fire alarm installed at the time of this fire. Insurance information is unknown at this time. Engine 40 was the first unit to respond to this incident.</p>														

One Alarm Fire (Fatalities)

Date of Fire:	December 31, 2013	Time of Fire	8:55 PM												
Incident Number	2013-266224	Response Time	4 Min. 2 Sec.												
Location	1723 Pat Drive	Service Area	Northeast												
Bldg. Type	1-Story Frame Residence	Council District	9												
Owner	Henry Coppola	Injuries (Firefighter/ Civilian)	Two Civilian Fatalities												
Occupant/ Business Name	Unknown														
Fire Alarm System	None	Operational	N/A												
Cause	Incendiary														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: right;"><u>Value</u></th> <th style="width: 35%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$48,520.00</td> <td style="text-align: right;">\$8,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$1,000.00</td> <td style="text-align: right;">\$1,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$49,520.00</td> <td style="text-align: right; border-top: 1px solid black;">\$9,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$48,520.00	\$8,000.00	Content:	\$1,000.00	\$1,000.00	TOTAL	\$49,520.00	\$9,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$48,520.00	\$8,000.00													
Content:	\$1,000.00	\$1,000.00													
TOTAL	\$49,520.00	\$9,000.00													
Narrative	<p>This cause of this fire is incendiary and under investigation at this time. The fire damaged the living room of this residence. Two civilian fatalities occurred as a result of this fire. One fatal victim sustained second and third degree burns to one hundred percent of their body. This victim was transported to Parkland Hospital by Rescue 48. The other fatal victim sustained third degree burns to 90 percent of their body. This victim was transported to Parkland Hospital by Rescue 39. The Medical Examiner has determined the cause of death for both victims to be thermal burns and smoke inhalation. This residence did not have a fire alarm system at the time of this fire. Insurance information is unknown at this time. Engine 31 was the first unit to respond to this incident.</p>														

Medical Emergency (Fatality)

Date of Fire:	January 3, 2014	Time of Fire	5:47 AM												
Incident Number	2014-1639	Response Time	5 Minutes												
Location	3521 Chicago Street	Service Area	Southwest												
Bldg. Type	1-Story Frame Residence	Council District	6												
Owner	HNK LTD.	Injuries (Firefighter/ Civilian)	One Civilian Fatality												
Occupant/ Business Name	Katherine Douglas														
Fire Alarm System	Yes	Operational	No												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: right;"><u>Value</u></th> <th style="width: 35%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$10,220.00</td> <td style="text-align: right;">\$100.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$5,000.00</td> <td style="text-align: right;">\$100.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$15,220.00</td> <td style="text-align: right; border-top: 1px solid black;">\$200.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$10,220.00	\$100.00	Content:	\$5,000.00	\$100.00	TOTAL	\$15,220.00	\$200.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$10,220.00	\$100.00													
Content:	\$5,000.00	\$100.00													
TOTAL	\$15,220.00	\$200.00													
Narrative	<p>This accidental fire was caused by combustibles too close to a heat source. Clothing on a person was ignited by the stove in the kitchen. There was minor damage to the residence. A civilian fatality occurred as a result of this fire. The victim sustained second and third degree burns to eighty percent of their body. The victim was transported to Parkland Hospital by Rescue 45. This victim was pronounced dead at Parkland Hospital. The cause of death is pending an autopsy by the Medical Examiner. This residence had a non-operational fire alarm installed at time of this fire. Insurance information is unknown at this time. Rescue 45 was the first unit to respond to this incident.</p>														

Three Alarm Fire

Date of Fire:	January 8, 2014	Time of Fire	5:43 PM												
Incident Number	2014-6013	Response Time	2 Min. 54 Sec.												
Location	3165 Park Lane #117	Service Area	Northwest												
Bldg. Type	2-Story Frame Apartments	Council District	6												
Owner	Y & O Park Place LTD.	Injuries (Firefighter/ Civilian)	N/A												
Occupant/ Business Name	Harvey Thomas Park Place Apartments														
Fire Alarm System	Yes	Operational	Yes												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th><th style="width: 40%; text-align: center;"><u>Value</u></th><th style="width: 40%; text-align: center;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$919,000.00</td><td style="text-align: right;">\$50,000.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$100,000.00</td><td style="text-align: right;">\$35,000.00</td></tr> <tr> <td>TOTAL</td><td style="text-align: right; border-top: 1px solid black;">\$1,019,000.00</td><td style="text-align: right; border-top: 1px solid black;">\$85,000.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$919,000.00	\$50,000.00	Content:	\$100,000.00	\$35,000.00	TOTAL	\$1,019,000.00	\$85,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$919,000.00	\$50,000.00													
Content:	\$100,000.00	\$35,000.00													
TOTAL	\$1,019,000.00	\$85,000.00													
Narrative	<p>This accidental fire was caused by an unspecified electrical short circuit of the fixed wiring in the attic space of this apartment building. This fire caused damage to four apartment units. This apartment had an operational fire alarm system at the time of this fire. Insurance information is unknown at this time. Engine 43 was the first unit to respond to this incident.</p>														

One Alarm Fire (Injuries)

Date of Fire:	January 9, 2014	Time of Fire	8:31 PM												
Incident Number	2014-6868	Response Time	2 Min. 56 Sec.												
Location	5827 Columbia Avenue	Service Area	Central												
Bldg. Type	1-Story Frame Duplex	Council District	14												
Owner	Columbia Group	Injuries (Firefighter/ Civilian)	Two Civilian Injuries												
Occupant/ Business Name	Michelle Celaya														
Fire Alarm System	Yes	Operational	Yes												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th><th style="width: 35%; text-align: right;"><u>Value</u></th><th style="width: 35%; text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$50,400.00</td><td style="text-align: right;">\$1,000.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$2,500.00</td><td style="text-align: right;">\$250.00</td></tr> <tr> <td>TOTAL</td><td style="text-align: right; border-top: 1px solid black;">\$52,900.00</td><td style="text-align: right; border-top: 1px solid black;">\$1,250.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$50,400.00	\$1,000.00	Content:	\$2,500.00	\$250.00	TOTAL	\$52,900.00	\$1,250.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$50,400.00	\$1,000.00													
Content:	\$2,500.00	\$250.00													
TOTAL	\$52,900.00	\$1,250.00													
Narrative	<p>This accidental fire was caused by careless cooking. Two civilian injuries occurred as a result of this fire. Both victims sustained minor burns to their hands and arms while attempting to extinguish this fire. Both victims were treated at the scene of this fire, and both victims refused transport to a hospital and were released. This unit of the duplex had an operational fire alarm system that warned the occupants of this fire. This is not an insured loss. Engine 19 was the first unit to respond to this incident.</p>														

Two Alarm Fire

Date of Fire:	January 14, 2014	Time of Fire	2:25 PM												
Incident Number	2014-10426	Response Time	2 Min. 56 Sec.												
Location	3451 Cedar Crest Boulevard	Service Area	South Central												
Bldg. Type	1-Story Brick Commercial	Council District	4												
Owner	W. J. Ondrusek	Injuries (Firefighter/ Civilian)	N/A												
Occupant/ Business Name	Yolanda Alvarez														
Fire Alarm System	None	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th><th style="width: 35%; text-align: right;"><u>Value</u></th><th style="width: 35%; text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$45,020.00</td><td style="text-align: right;">\$0.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$20,000.00</td><td style="text-align: right;">\$5,000.00</td></tr> <tr> <td>TOTAL</td><td style="text-align: right;">\$65,020.00</td><td style="text-align: right;">\$5,000.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$45,020.00	\$0.00	Content:	\$20,000.00	\$5,000.00	TOTAL	\$65,020.00	\$5,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$45,020.00	\$0.00													
Content:	\$20,000.00	\$5,000.00													
TOTAL	\$65,020.00	\$5,000.00													
Narrative	<p>This accidental fire was caused by the careless use of a barbeque smoker left unattended inside this commercial occupancy. This fire caused damage to combustible materials including a vehicle parked inside this warehouse. This commercial occupancy did not have a fire alarm system installed at the time of this fire. This is not an insured loss. Engine 6 was the first unit to respond to this incident.</p>														

Two Alarm Fire

Date of Fire:	January 16, 2014	Time of Fire	3:28 AM												
Incident Number	2014-11519	Response Time	3 Min. 35 Sec.												
Location	10944 Grissom Lane #704	Service Area	Northwest												
Bldg. Type	1-Story Metal Commercial	Council District	6												
Owner	BCK Properties Joint Venture	Injuries (Firefighter/ Civilian)	N/A												
Occupant/ Business Name	CTS Wood Design CTS Wood Design														
Fire Alarm System	Yes	Operational	Unknown												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th><th style="width: 40%; text-align: right;"><u>Value</u></th><th style="width: 40%; text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$1,676,540.00</td><td style="text-align: right;">\$300,000.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$150,000.00</td><td style="text-align: right;">\$75,000.00</td></tr> <tr> <td>TOTAL</td><td style="text-align: right; border-top: 1px solid black;">\$1,826,540.00</td><td style="text-align: right; border-top: 1px solid black;">\$375,000.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$1,676,540.00	\$300,000.00	Content:	\$150,000.00	\$75,000.00	TOTAL	\$1,826,540.00	\$375,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$1,676,540.00	\$300,000.00													
Content:	\$150,000.00	\$75,000.00													
TOTAL	\$1,826,540.00	\$375,000.00													
Narrative	<p>The cause of this fire is undetermined and under investigation at this time. This fire destroyed the suite of origin and its contents. This fire also caused damage to three other adjacent suits in this commercial building. This commercial occupancy had a fire alarm but it is unknown if it was operational at the time of this fire. This is an insured loss. Engine 35 was the first unit to respond to this incident.</p>														

Three Alarm Fire

Date of Fire:	January 16 2014	Time of Fire	4:32 AM												
Incident Number	2014-11537	Response Time	1 Min. 19 Sec.												
Location	6759 Eastridge Drive #1050	Service Area	Northeast												
Bldg. Type	2-Story Frame Apartments	Council District	13												
Owner	CCC&R Park Lane LLC	Injuries (Firefighter/ Civilian)	N/A												
Occupant/ Business Name	Gregorio Bartolo														
Fire Alarm System	None	Operational	N/A												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%; text-align: right;"><u>Value</u></th> <th style="width: 40%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$4,576,070.00</td> <td style="text-align: right;">\$150,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$20,000.00</td> <td style="text-align: right;">\$20,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$4,596,070.00</td> <td style="text-align: right; border-top: 1px solid black;">\$170,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$4,576,070.00	\$150,000.00	Content:	\$20,000.00	\$20,000.00	TOTAL	\$4,596,070.00	\$170,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$4,576,070.00	\$150,000.00													
Content:	\$20,000.00	\$20,000.00													
TOTAL	\$4,596,070.00	\$170,000.00													
Narrative	<p>The cause of this fire is undetermined and under investigation at this time. This fire completely destroyed the apartment of origin and the apartment above it. There was smoke and water damage to the other six apartment units in this building, and exterior exposure damage to the adjacent apartment building. It is unknown if this apartment building had a properly installed fire alarm system at the time of this fire. Insurance information is unknown at this time. Truck 37 was the first unit to respond to this incident.</p>														