

# Memorandum



DATE: April 11, 2014

TO: Honorable Members of the Public Safety Committee:  
Sheffie Kadane (Chair), Adam Medrano (Vice Chair), Dwaine Caraway, Jennifer S. Gates,  
Sandy Greyson, Scott Griggs

SUBJECT: **Administrative (Fire) Reports**

This is an informational memo to provide the Public Safety Committee with a brief description of the February 4 - March 24, 2014 fire reports.

During this period, the following significant fires occurred:

Multiple Alarm Level	Totals
<u>4-Alarm</u>	<u>1</u>
<u>3-Alarm</u>	<u>2</u>
<u>2-Alarm</u>	<u>6</u>

There was 1 (one) civilian fatality, 3 (three) civilian injuries and 2 (two) firefighter injuries that occurred as a result of fire incidents.



Charles M. Cato

Interim Assistant City Manager

Attachment

cc: Honorable Mayor and Members of the Dallas City Council  
A.C. Gonzalez, City Manager  
Rosa A. Rios, City Secretary  
Warren M. S. Ernst, City Attorney  
Craig D. Kinton, City Auditor  
Daniel F. Solis, Administrative Judge  
Ryan S. Evans, Interim First Assistant Manager  
Jill A. Jordan, P. E., Assistant City Manager  
Forest E. Turner, Assistant City Manager  
Joey Zapata, Assistant City Manager  
Theresa O'Donnell, Interim Assistant City Manager  
Jeanne Chipperfield, Chief Financial Officer  
Shawn Williams, Interim Public Information Officer  
Elsa Cantu, Assistant to the City Manager – Mayor and Council

# Public Safety Committee

## Fire Report

February - March 2014

DATE	ADDRESS	COUNCIL DISTRICT	TYPE	CAUSE	LOSS/ INSURED	ALARMS
1. 02/09/14	3636 W. Red Bird Lane #802	District 3	3-Story Frame Apartments	Accidental	\$41,000.00 No	2 Alarms
2. 02/13/14	9340 Skillman Street #603	District 10	3-Story Frame Apartments	Undetermined	\$565,000.00 No	4 Alarms
3. 02/21/14	11511 Ferguson Road #1519	District 9	2-Story Frame Apartments	Accidental	\$26,000.00 yes	2 Alarms
4. 02/23/14	3550 E. Overton Road #2317	District 4	2-Story Frame Apartments	Accidental	\$87,000.00 Unknown	1 Alarm <b>1 Fatality</b> <b>3 Injuries</b>
5. 02/23/14	5631 Spring Valley Road #127	District 11	2-Story Brick Apartments	Accidental	\$161,000.00 Yes	2 Alarms
6. 02/28/14	9730 Whitehurst Drive #8	District 10	3-Story Frame Condominium	Accidental	\$9,000.00 Unknown	2 Alarms
7. 03/01/14	1888 Sylvan Avenue	District 6	3-Story Metal Commercial	Accidental	\$1,250,000.00 Yes	2 Alarms
8. 03/11/14	9455 Skillman Street #1414	District 10	2-Story Brick Apartments	Accidental	\$15,000.00 No	2 Alarms
9. 03/17/14	9725 Dale Crest Drive #162	District 6	2-Story Frame Apartments	Accidental	\$75,000.00 Yes	3 Alarms
10. 03/20/14	11900 Kleberg Road	District 8	Vehicle	Incendiary	\$5,000.00 Yes	1 Alarm <b>1 Injury</b>
11. 03/20/14	12111 Audelia Road #2402	District 10	2-Story Frame Apartments	Accidental	\$150,000.00 Yes	3 Alarms <b>1 Injury</b>

## Two Alarm Fire

<b>Date of Fire:</b>	February 9, 2014	<b>Time of Fire</b>	7:42 PM												
<b>Incident Number</b>	2014-29209	<b>Response Time</b>	3 Min. 23 Sec.												
<b>Location</b>	3636 W. Red Bird Lane #802	<b>Service Area</b>	Southwest												
<b>Bldg. Type</b>	3-Story Frame Apartments	<b>Council District</b>	3												
<b>Owner</b>	Red Bird Trail Association	<b>Injuries (Firefighter/ Civilian)</b>	N/A												
<b>Occupant/ Business Name</b>	Victor Colen														
<b>Fire Alarm System</b>	Yes	<b>Operational</b>	Yes												
<b>Cause</b>	Accidental														
<b>Value/ Damage Estimate</b>	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th><th style="width: 40%; text-align: right;"><u>Value</u></th><th style="width: 40%; text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$3,600,000.00</td><td style="text-align: right;">\$35,000.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$20,000.00</td><td style="text-align: right;">\$6,000.00</td></tr> <tr> <td><b>TOTAL</b></td><td style="text-align: right; border-top: 1px solid black;">\$3,620,000.00</td><td style="text-align: right; border-top: 1px solid black;">\$41,000.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$3,600,000.00	\$35,000.00	Content:	\$20,000.00	\$6,000.00	<b>TOTAL</b>	\$3,620,000.00	\$41,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$3,600,000.00	\$35,000.00													
Content:	\$20,000.00	\$6,000.00													
<b>TOTAL</b>	\$3,620,000.00	\$41,000.00													
<b>Narrative</b>	<p>This accidental fire was caused by an abnormal operating condition of the chimney system in this apartment unit. This fire damaged the contents of two other apartments. This apartment building had a properly installed operational fire alarm system that warned the occupants of the fire. This is not an insured loss. Engine 49 was the first unit to respond to this incident.</p>														

### Four Alarm Fire

<b>Date of Fire:</b>	February 14, 2014	<b>Time of Fire</b>	4:44 PM												
<b>Incident Number</b>	2014-31803	<b>Response Time</b>	1 Min. 42 Sec.												
<b>Location</b>	9340 Skillman Street #603	<b>Service Area</b>	Northeast												
<b>Bldg. Type</b>	3-Story Frame Apartments	<b>Council District</b>	10												
<b>Owner</b>	CRP Skillman Apartments	<b>Injuries (Firefighter/ Civilian)</b>	N/A												
<b>Occupant/ Business Name</b>	Kimberly Blas														
<b>Fire Alarm System</b>	Yes	<b>Operational</b>	Yes												
<b>Cause</b>	Undetermined														
<b>Value/ Damage Estimate</b>	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: right;"><u>Value</u></th> <th style="width: 35%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$500,000.00</td> <td style="text-align: right;">\$500,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$65,000.00</td> <td style="text-align: right;">\$65,000.00</td> </tr> <tr> <td><b>TOTAL</b></td> <td style="text-align: right; border-top: 1px solid black;">\$565,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$565,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$500,000.00	\$500,000.00	Content:	\$65,000.00	\$65,000.00	<b>TOTAL</b>	\$565,000.00	\$565,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$500,000.00	\$500,000.00													
Content:	\$65,000.00	\$65,000.00													
<b>TOTAL</b>	\$565,000.00	\$565,000.00													
<b>Narrative</b>	<p>The cause of this fire is undetermined. This fire started in the wall between two apartment units. A total of 13 apartment units were destroyed by this fire. This apartment had a properly installed operational fire alarm system that warned the occupants of the fire. This is not an insured loss. Engine 57 was the first unit to respond to this incident.</p>														

## Two Alarm Fire

<b>Date of Fire:</b>	February 21, 2014	<b>Time of Fire</b>	3:46 PM												
<b>Incident Number</b>	2014-37442	<b>Response Time</b>	2 Min. 9 Sec.												
<b>Location</b>	11511 Ferguson Road #1519	<b>Service Area</b>	Northeast												
<b>Bldg. Type</b>	2-Story Frame Apartments	<b>Council District</b>	9												
<b>Owner</b>	Lopez Severo	<b>Injuries (Firefighter/ Civilian)</b>	N/A												
<b>Occupant/ Business Name</b>	Lopez Servero Shadow Brook Apartments														
<b>Fire Alarm System</b>	Yes	<b>Operational</b>	Yes												
<b>Cause</b>	Accidental														
<b>Value/ Damage Estimate</b>	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: right;"><u>Value</u></th> <th style="width: 35%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$32,480.00</td> <td style="text-align: right;">\$20,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$20,000.00</td> <td style="text-align: right;">\$6,000.00</td> </tr> <tr> <td><b>TOTAL</b></td> <td style="text-align: right; border-top: 1px solid black;">\$52,480.00</td> <td style="text-align: right; border-top: 1px solid black;">\$26,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$32,480.00	\$20,000.00	Content:	\$20,000.00	\$6,000.00	<b>TOTAL</b>	\$52,480.00	\$26,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$32,480.00	\$20,000.00													
Content:	\$20,000.00	\$6,000.00													
<b>TOTAL</b>	\$52,480.00	\$26,000.00													
<b>Narrative</b>	<p>This accidental fire was caused by combustible materials too close to a heat source. The fire spread vertically and caused damage to the apartment above the unit of origin. This apartment building had an operational fire alarm system at the time of this fire. This is an insured loss. Engine 39 was the first unit to respond to this incident.</p>														

### One Alarm Fire (Fatality) (Injuries)

<b>Date of Fire:</b>	February 23, 2014	<b>Time of Fire</b>	6:56 AM												
<b>Incident Number</b>	2014-38693	<b>Response Time</b>	2 Min. 26 Sec.												
<b>Location</b>	3550 E. Overton Road #2317	<b>Service Area</b>	South Central												
<b>Bldg. Type</b>	2-Story Frame Apartments	<b>Council District</b>	4												
<b>Owner</b>	Ben Logan	<b>Injuries (Firefighter/ Civilian)</b>	One Civilian Fatality Three Civilian Injuries												
<b>Occupant/ Business Name</b>	Joanne Thompson Village Oaks Apartments														
<b>Fire Alarm System</b>	Unknown	<b>Operational</b>	Unknown												
<b>Cause</b>	Accidental														
<b>Value/ Damage Estimate</b>	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th><th style="width: 40%; text-align: right;"><u>Value</u></th><th style="width: 40%; text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$4,388,000.00</td><td style="text-align: right;">\$75,000.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$20,000.00</td><td style="text-align: right;">\$12,000.00</td></tr> <tr> <td><b>TOTAL</b></td><td style="text-align: right;"><b>\$4,408,000.00</b></td><td style="text-align: right;"><b>\$87,000.00</b></td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$4,388,000.00	\$75,000.00	Content:	\$20,000.00	\$12,000.00	<b>TOTAL</b>	<b>\$4,408,000.00</b>	<b>\$87,000.00</b>
	<u>Value</u>	<u>Damage</u>													
Building:	\$4,388,000.00	\$75,000.00													
Content:	\$20,000.00	\$12,000.00													
<b>TOTAL</b>	<b>\$4,408,000.00</b>	<b>\$87,000.00</b>													
<b>Narrative</b>	<p>This accidental fire was caused by an unspecified electrical short circuit of a portable window air conditioner. This fire started in the living room of a second floor apartment unit and caused moderate damage to the unit and its contents. There was another apartment on the second floor that was also damaged by this fire. One civilian fatality and three civilian injuries occurred as a result of this fire. The fatality was pronounced at the scene by the Medical Examiner with the cause of death pending the results of the autopsy. All three Injury victims were transported to Parkland Hospital by Rescues 54, 06 and 38. One injury victim sustained second and third degree burns to their head, neck, back and arms. The other two injury victims sustained smoke inhalation injuries. It is unknown if this apartment had an operational fire alarm system at the time of this fire. Insurance information is also unknown at this time. Engine 38 was the first unit to respond to this incident.</p>														

## Two Alarm Fire

<b>Date of Fire:</b>	February 23, 2014	<b>Time of Fire</b>	7:08 PM												
<b>Incident Number</b>	2014-39087	<b>Response Time</b>	3 Min. 54 Sec.												
<b>Location</b>	5631 Spring Valley Road #127	<b>Service Area</b>	North Central												
<b>Bldg. Type</b>	2-Story Brick Apartments	<b>Council District</b>	11												
<b>Owner</b>	Preston Valley Apartments LLC	<b>Injuries (Firefighter/ Civilian)</b>	N/A												
<b>Occupant/ Business Name</b>	Alysia Conner														
<b>Fire Alarm System</b>	Yes	<b>Operational</b>	No												
<b>Cause</b>	Undetermined														
<b>Value/ Damage Estimate</b>	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: right;"><u>Value</u></th> <th style="width: 35%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$250,000.00</td> <td style="text-align: right;">\$150,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$15,000.00</td> <td style="text-align: right;">\$11,000.00</td> </tr> <tr> <td><b>TOTAL</b></td> <td style="text-align: right; border-top: 1px solid black;">\$265,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$161,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$250,000.00	\$150,000.00	Content:	\$15,000.00	\$11,000.00	<b>TOTAL</b>	\$265,000.00	\$161,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$250,000.00	\$150,000.00													
Content:	\$15,000.00	\$11,000.00													
<b>TOTAL</b>	\$265,000.00	\$161,000.00													
<b>Narrative</b>	<p>This fire is undetermined and under investigation at this time. This fire started in the fireplace chase of this apartment unit and caused damage to two other apartments. This apartment had a non-operational fire alarm system installed at the time of this fire. This is an insured loss. Engine 20 was the first unit to respond to this incident.</p>														

## Two Alarm Fire

<b>Date of Fire:</b>	February 28, 2014	<b>Time of Fire</b>	10:42 AM												
<b>Incident Number</b>	2014-42097	<b>Response Time</b>	2 Min. 43 Sec.												
<b>Location</b>	9730 Whitehurst Drive #8	<b>Service Area</b>	Northeast												
<b>Bldg. Type</b>	3-Story Frame Condominiums	<b>Council District</b>	10												
<b>Owner</b>	Wing Lo	<b>Injuries (Firefighter/ Civilian)</b>	N/A												
<b>Occupant/ Business Name</b>	Mildred Harkless														
<b>Fire Alarm System</b>	Yes	<b>Operational</b>	Yes												
<b>Cause</b>	Accidental														
<b>Value/ Damage Estimate</b>	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th><th style="width: 35%; text-align: right;"><u>Value</u></th><th style="width: 35%; text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$73,360.00</td><td style="text-align: right;">\$7,000.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$36,000.00</td><td style="text-align: right;">\$2,000.00</td></tr> <tr> <td><b>TOTAL</b></td><td style="text-align: right; border-top: 1px solid black;">\$109,360.00</td><td style="text-align: right; border-top: 1px solid black;">\$9,000.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$73,360.00	\$7,000.00	Content:	\$36,000.00	\$2,000.00	<b>TOTAL</b>	\$109,360.00	\$9,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$73,360.00	\$7,000.00													
Content:	\$36,000.00	\$2,000.00													
<b>TOTAL</b>	\$109,360.00	\$9,000.00													
<b>Narrative</b>	<p>This accidental fire was caused by the careless use of a welder's torch. This fire damaged the structural members behind the wall of this condominium bathroom and the unit above it. Structure and content damage was minor to the two units. This condominium had a properly installed operational fire alarm system that warned the occupants of the fire. Insurance information is unknown at this time. Engine 57 was the first unit to respond to this incident.</p>														



## Two Alarm Fire

<b>Date of Fire:</b>	March 1, 2014	<b>Time of Fire</b>	3:57 PM																
<b>Incident Number</b>	2014-43061	<b>Response Time</b>	2 Min. 39 Sec.																
<b>Location</b>	1888 Sylvan Avenue	<b>Service Area</b>	Southwest																
<b>Bldg. Type</b>	3-Story Metal Commercial	<b>Council District</b>	6																
<b>Owner</b>	Oaxca Properties	<b>Injuries (Firefighter/ Civilian)</b>	N/A																
<b>Occupant/ Business Name</b>	N/A																		
<b>Fire Alarm System</b>	None	<b>Operational</b>	N/A																
<b>Cause</b>	Accidental																		
<b>Value/ Damage Estimate</b>	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th><th style="width: 40%; text-align: right;"><u>Value</u></th><th style="width: 40%; text-align: right;"><u>Damage</u></th><th style="width: 10%;"></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$1,250,000.00</td><td style="text-align: right;">\$1,250,000.00</td><td></td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$0.00</td><td style="text-align: right;">\$0.00</td><td></td></tr> <tr> <td><b>TOTAL</b></td><td style="text-align: right; border-top: 1px solid black;">\$1,250,000.00</td><td style="text-align: right; border-top: 1px solid black;">\$1,250,000.00</td><td></td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>		Building:	\$1,250,000.00	\$1,250,000.00		Content:	\$0.00	\$0.00		<b>TOTAL</b>	\$1,250,000.00	\$1,250,000.00	
	<u>Value</u>	<u>Damage</u>																	
Building:	\$1,250,000.00	\$1,250,000.00																	
Content:	\$0.00	\$0.00																	
<b>TOTAL</b>	\$1,250,000.00	\$1,250,000.00																	
<b>Narrative</b>	<p>This accidental fire was caused by the careless use of a welder's torch. Sparks from the third floor ignited combustible materials on the first floor. This fire completely destroyed this building that was under construction at the time of this fire. This structure did not have a fire alarm system at the time of the fire. This is an insured loss. Engine 36 was the first unit to respond to this incident.</p>																		

## Two Alarm Fire

<b>Date of Fire:</b>	March 11, 2014	<b>Time of Fire</b>	11:24 AM												
<b>Incident Number</b>	2014-50353	<b>Response Time</b>	3 Min. 2 Sec.												
<b>Location</b>	9455 Skillman Street #1414	<b>Service Area</b>	Northeast												
<b>Bldg. Type</b>	2-Story Brick Apartments	<b>Council District</b>	10												
<b>Owner</b>	9455 Skillman St. LTD	<b>Injuries (Firefighter/ Civilian)</b>	N/A												
<b>Occupant/ Business Name</b>	Joel Velasquez Sienna Apartments														
<b>Fire Alarm System</b>	Yes	<b>Operational</b>	Yes												
<b>Cause</b>	Accidental														
<b>Value/ Damage Estimate</b>	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th><th style="width: 40%; text-align: right;"><u>Value</u></th><th style="width: 40%; text-align: right;"><u>Damage</u></th></tr> </thead> <tbody> <tr> <td>Building:</td><td style="text-align: right;">\$3,970,230.00</td><td style="text-align: right;">\$10,000.00</td></tr> <tr> <td>Content:</td><td style="text-align: right;">\$10,000.00</td><td style="text-align: right;">\$5,000.00</td></tr> <tr> <td><b>TOTAL</b></td><td style="text-align: right; border-top: 1px solid black;">\$3,980,230.00</td><td style="text-align: right; border-top: 1px solid black;">\$15,000.00</td></tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$3,970,230.00	\$10,000.00	Content:	\$10,000.00	\$5,000.00	<b>TOTAL</b>	\$3,980,230.00	\$15,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$3,970,230.00	\$10,000.00													
Content:	\$10,000.00	\$5,000.00													
<b>TOTAL</b>	\$3,980,230.00	\$15,000.00													
<b>Narrative</b>	<p>This accidental fire was caused by the ignition of combustible materials by a heat source. The heat from a lamp ignited paper left atop the lamp shade in the bedroom of this second floor apartment unit. The fire destroyed the bedroom and its contents and vented outside the balcony window. This apartment had an operational fire alarm system at the time of this fire. This is not an insured loss. Engine 29 was the first unit to respond to this incident.</p>														

### Three Alarm Fire

<b>Date of Fire:</b>	March 17, 2014	<b>Time of Fire</b>	2:10 PM												
<b>Incident Number</b>	2014-54854	<b>Response Time</b>	3 Min. 19 Sec.												
<b>Location</b>	9725 Dale Crest Drive #162	<b>Service Area</b>	Northwest												
<b>Bldg. Type</b>	2-Story Frame Apartments	<b>Council District</b>	6												
<b>Owner</b>	Park Dale LLC	<b>Injuries (Firefighter/ Civilian)</b>	N/A												
<b>Occupant/ Business Name</b>	Angela Watts Park Dale Apartments														
<b>Fire Alarm System</b>	Yes	<b>Operational</b>	No												
<b>Cause</b>	Accidental														
<b>Value/ Damage Estimate</b>	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: right;"><u>Value</u></th> <th style="width: 35%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$400,000.00</td> <td style="text-align: right;">\$50,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$30,000.00</td> <td style="text-align: right;">\$25,000.00</td> </tr> <tr> <td><b>TOTAL</b></td> <td style="text-align: right; border-top: 1px solid black;">\$430,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$75,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$400,000.00	\$50,000.00	Content:	\$30,000.00	\$25,000.00	<b>TOTAL</b>	\$430,000.00	\$75,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$400,000.00	\$50,000.00													
Content:	\$30,000.00	\$25,000.00													
<b>TOTAL</b>	\$430,000.00	\$75,000.00													
<b>Narrative</b>	<p>This accidental fire was caused by an unspecified electrical short circuit of non-fixed wiring. The fire spread vertically through the second floor apartment to the attic and roof. This apartment had a properly installed fire alarm system that was not operational at the time of the fire. This is an insured loss. Engine 43 was the first unit to respond to this incident.</p>														

### One Alarm Fire (Injury)

<b>Date of Fire:</b>	March 20, 2014	<b>Time of Fire</b>	6:35 PM												
<b>Incident Number</b>	2014-57097	<b>Response Time</b>	2 Min.												
<b>Location</b>	11900 Kleberg Road	<b>Service Area</b>	Southeast												
<b>Bldg. Type</b>	Vehicle	<b>Council District</b>	8												
<b>Owner</b>	Mitzi Hadsel	<b>Injuries (Firefighter/ Civilian)</b>	One Firefighter Injury												
<b>Occupant/ Business Name</b>	N/A														
<b>Fire Alarm System</b>	N/A	<b>Operational</b>	N/A												
<b>Cause</b>	Incendiary														
<b>Value/ Damage Estimate</b>	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 35%; text-align: center;"><u>Value</u></th> <th style="width: 35%; text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Vehicle:</td> <td style="text-align: right;">\$5,000.00</td> <td style="text-align: right;">\$5,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$0.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td><b>TOTAL</b></td> <td style="text-align: right; border-top: 1px solid black;">\$5,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$5,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Vehicle:	\$5,000.00	\$5,000.00	Content:	\$0.00	\$0.00	<b>TOTAL</b>	\$5,000.00	\$5,000.00
	<u>Value</u>	<u>Damage</u>													
Vehicle:	\$5,000.00	\$5,000.00													
Content:	\$0.00	\$0.00													
<b>TOTAL</b>	\$5,000.00	\$5,000.00													
<b>Narrative</b>	<p>The cause of this vehicle fire is incendiary and under investigation at this time. The fire destroyed this vehicle. A firefighter injury occurred as a result of this fire. The firefighter sustained second degree burns while extinguishing this fire. He was transported to Parkland Hospital by Rescue 51. This is an insured loss. Engine 51 was the first unit to respond to this incident.</p>														

### Three Alarm Fire (Injury)

<b>Date of Fire:</b>	March 20, 2014	<b>Time of Fire</b>	8:58 PM												
<b>Incident Number</b>	2014-57201	<b>Response Time</b>	1 Min. 42 Sec.												
<b>Location</b>	12111 Audelia Road #2402	<b>Service Area</b>	Northeast												
<b>Bldg. Type</b>	2-Story Frame Apartments	<b>Council District</b>	10												
<b>Owner</b>	ROC TX INDIGO LLC.	<b>Injuries (Firefighter/ Civilian)</b>	One Firefighter Injury												
<b>Occupant/ Business Name</b>	Fanta Kone The Indigo On Forest														
<b>Fire Alarm System</b>	Yes	<b>Operational</b>	Yes												
<b>Cause</b>	Accidental														
<b>Value/ Damage Estimate</b>	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%; text-align: right;"><u>Value</u></th> <th style="width: 40%; text-align: right;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$8,076,670.00</td> <td style="text-align: right;">\$100,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$80,000.00</td> <td style="text-align: right;">\$50,000.00</td> </tr> <tr> <td><b>TOTAL</b></td> <td style="text-align: right; border-top: 1px solid black;">\$8,156,670.00</td> <td style="text-align: right; border-top: 1px solid black;">\$150,000.00</td> </tr> </tbody> </table>				<u>Value</u>	<u>Damage</u>	Building:	\$8,076,670.00	\$100,000.00	Content:	\$80,000.00	\$50,000.00	<b>TOTAL</b>	\$8,156,670.00	\$150,000.00
	<u>Value</u>	<u>Damage</u>													
Building:	\$8,076,670.00	\$100,000.00													
Content:	\$80,000.00	\$50,000.00													
<b>TOTAL</b>	\$8,156,670.00	\$150,000.00													
<b>Narrative</b>	<p>This accidental fire was caused by the careless use of an electric cook stove left unattended. The fire spread vertically through the second floor of this studio apartment and to the roof causing damage to all four studio apartments in the building. A firefighter injury occurred as a result of this fire. The firefighter sustained a trauma injury to his calf during suppression activities. He was transported to Medical City Hospital by Rescue 29. This apartment had an operational fire alarm system that warned the occupants and aided in their escape. This is an insured loss. Engine 29 was the first unit to respond to this incident.</p>														

**(One, Two, Three) Alarm Fire**

<b>Date of Fire:</b>		<b>Time of Fire</b>	
<b>Incident Number</b>		<b>Response Time</b>	
<b>Location</b>		<b>Service Area</b>	
<b>Bldg. Type</b>		<b>Council District</b>	
<b>Owner</b>		<b>Injuries (Firefighter/ Civilian)</b>	
<b>Occupant/ Business Name</b>			
<b>Fire Alarm System</b>		<b>Operational</b>	
<b>Cause</b>			
<b>Value/ Damage Estimate</b>	<div>Building: <u>Value</u> <u>Damage</u></div> <div>Content: _____</div> <div><b>TOTAL</b></div>		
<b>Narrative</b>			